Available Security Functions

Overview

top
The following is a list of security functions available in Yellowfin and their associated definitions. They have been grouped into sub sections to assist you to identify how and when these functions are used.

Function	Description
General	
Report Access CRUD	Allow users to log in to Yellowfin and view, edit, create, and delete reports.
User Profile	Allow users to update their user profile.
Draft Content List	Shows a list of draft content on the Dashboard and Browse pages.
Favourites	Allow users to add reports to their favourites list.
Export Report Settings	Allows users to define the export settings for a report through the save menu, rather than relying on the system default.
Export Reports to CSV	Allow users to export report results to CSV.
Error Email Link	Does not show a link to send an email on the error page when something goes wrong.
Error Stacktrace	Shows a stack trace on the error page when something goes wrong.
Export Reports and Dashboards to DOC	Allow users to export content items to DOC.
Export Content to PDF	Allow users to export content items to PDF.
Export Reports and Dashboards to XLS	Allow users to export content items to XLS.
Bookmarks and Snapshots	Allows users to create and use bookmarks and snapshots.
Hide Print on Reports & Dashboards	Hides the Print option on the Report and Dashboard pages.
Dashboard	
Personal Dashboard CRUD	Gives users access to the dashboard page, and allows them to create their personal dashboard, visible only to them.
Hide Dashboard Maximise Report	Hide the maximise option on dashboard reports.
Hide Dashboard Report Menu	Hide the drop-down menu on reports on the dashboard.
Refresh Dashboard Reports	Allow users to set a refresh period on Dashboard reports.
Public Dashboards CRUD	Allows users to create and edit Public dashboards.
Disable Add Existing Tab	Prevents users from adding existing tabs from the Browse Page or the Pre-Built Tab option to their dashboard.
Show Draft Dashboards	Shows Dashboards being edited by other users.
Browse	
Hide Browse Page	Hide the report browse page.
Hide Advanced Report Search	Hide the advanced search on the report list page.
Hide Columns Option (Browse Page)	Hide the columns option on the report list page. Users will not be able to change the columns displayed.

Allow users to see outstanding report approvals. Public Reports Allow users to see outstanding report approvals. Report Butider Allow users to create freehand SQL reports, and Jasper reports. Report SQL Allow users to create and edit public reports. Public Reports CRUD Allow users to create and edit public reports. Varsioned Reports Allow users to create and edit public reports. Varsioned Reports Allow users to create and edit public reports. Varsioned Reports Allow users to create sub query reports. Allow users to set or change the access filter on reports. Related Content Allow users to set or change the access filter on reports. Advanced SQV Allow users to set or change the access filter on reports. Advanced CSV Allow users to set or ports to see the ports based on CSV flees. Advanced CSV Allow users to perform advanced operations on CSV reports such as selecting the data source. Public Change of SQV Allow users to perform advanced operations on CSV reports such as selecting the data source. Allow users to create user prompt drop down filters populated by custom SQL queries. Allows users to create user prompt drop down filters populated by custom SQL queries. Allows users to create user prompt drop down filters to the minimum and maximum cached value. Disable Cached Filter Disable users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allows Feehand SQL Allows users to create SSRS Reports. Allows Feehand SQL Allows users to create SSRS Reports. Allows users to create preehand SQL Calculated Fields in reports. Allows users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to broadcast reports on dashboard tabs to other users. Email Reports Allow users to broadcast reports to external users. Hide Report Details Hide the open	Hide Report Details	Hide the report details on the report list page.
Distif Public Reports Allow users to see draft versions of public reports created by other users. Report Builder Report Types Allow users to create freehand SQL reports, and Jasper reports. Public Reports CRUD Allow users to create and edit public reports. Versioned Reports Allow users to create and edit public reports. Versioned Reports Allow users to create and edit public reports. Allow users to create sub query reports. Ad Hoc Reports Allow users to create Ad Hoc reports. Ad Hoc Reports Allow users to create Ad Hoc reports. Access Filter Allow users to set or change the access filter on reports. Access Filter Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to set up co-display dill down and drill through functionality. Advanced CSV Allow users to perform advanced operations on CSV reports such as selecting the data source. Functionality Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allow users to create user prompt drop down filters to the minimum and maximum cached value. Disable Cached Filter Allows users to create SSRS Reports. Allow users to create SSRS Reports. Allows users to create SSRS Reports. Allows users to create Freehand SQL Calculated Fields in reports. Report Menu Broadsat Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to serial captor on dashboard tabs to other users. Hide Open Report Hide the open report menu item. Hide Paper Report Selfier Hide the open report menu item. Hide Paper Reports Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	(Browse Page) Approval Administration	Allow users to see outstanding report approvals
Report Builder Report Types Allow users to create freehand SQL reports, and Jasper reports. Public Reports CRUD Allow users to create and edit public reports. Versioned Reports Allow users to create and edit public reports. Allow users to create sub query reports. Allow users to create sub query reports. Allow users to create Allow creports. Allow users to reate Allow creports. Allow users to seat or change the access filter on reports. Access Filter Allow users to set or change the access filter on reports. Related Content Allow users to set or peorlisplay, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to create user prompt drop down filters populated by custom SQL queries. Allow users to create user prompt drop down filters to the minimum and maximum cached value. Disable Cached Filter Disable users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allow users to create Freehand SQL Calculated Fields in reports. Calculated Fields Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Hide Report Details Allow users to broadcast reports to external users. Hide Report SQL Hide report SQL from users. Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.		
Report Types Allow users to create freehand SQL reports, and Jasper reports. Public Reports CRUD Allow users to create and edit public reports. Versioned Reports Allow users to create and edit public reports. Allow users to create sub query reports. Allow users to create sub query reports. Allow users to create Ad Hoc reports. Allow users to set or change the access filter on reports. Access Filter Allow users to set or change the access filter on reports. Related Content Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Feports Allow users to write reports based on CSV files. Advanced CSV Feports Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable cached Filter Disable users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allow users to create Freehand SQL Calculated Fields in reports. Calculated Fields Allows users to create Freehand SQL Calculated Fields in reports. Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Lear more about this here.) **Report Menu** Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu Item. Hide Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. The credentials of the user who creates the proadcast will be used to send the report to external users. The credentials of the user who creates the proadcast will be used to send the report to external users.	•	Allow users to see that versions of public reports created by other users.
Public Reports CRUD Allow users to create and edit public reports. Versioned Reports Allows users to archive report result sets, dependent on Content Category Version History settings. Sub Queries Allow users to create sub query reports. Ad Hoc Reports Allow users to set or change the access filter on reports. Access Filter Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Functionality Allow users to reate user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Values SSRS Reports Allows users to create SSRS Reports. Allows reserve to create SSRS Reports. Allows reserve to create SSRS Reports. Allows users to create SSRS Reports. Allows users to create SSRS Reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Open Report Hide the open report menu item. Multicast Reports Allow users to broadcast reports to external users. Multicast Reports Allow users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Report Builder	
Versioned Reports Allows users to archive report result sets, dependent on Content Category Version History settings. Sub Queries Allow users to create sub query reports. Ad Hoc Reports Allow users to create Ad Hoc reports. Access Filter Allow users to set or change the access filter on reports. Related Content Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Custom Query Filters Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Values Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields in reports. Allows users to create Freehand SQL Calculated Fields in reports. JavaScript Charts Allow users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to send an adhoc email copy of a report.	Report Types	Allow users to create freehand SQL reports, and Jasper reports.
Sub Queries Allow users to create sub query reports. Ad Hoc Reports Allow users to set or change the access filter on reports. Access Filter Allow users to set or change the access filter on reports. Related Content Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Functionality Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Disable users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields In report. Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Open Report Hide the open report menu item. Hide SQL Hide report QuL from users. Multicast Reports Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Public Reports CRUD	Allow users to create and edit public reports.
Ad Hoc Reports Allows users to create Ad Hoc reports. Access Filter Allow users to set or change the access filter on reports. Related Content Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Functionality Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Values SSRS Reports Allows users to create SSRS Reports. Allow susers to create Freehand SQL Calculated Fields in reports. Calculated Fields Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide the report details item on the report menu. Report Menu Hide Report Details Allow users to broadcast reports to external users. Multicast Reports Allow users to broadcast reports to external users. Multicast Reports Allow users to broadcast reports on external users. Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Versioned Reports	Allows users to archive report result sets, dependent on Content Category Version History settings.
Access Filter Allow users to set or change the access filter on reports. Related Content Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Functionality Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Disable users from caching report filter values. Allows users to create SSRS Reports. Allows users to create Freehand SQL Calculated Fields in reports. Calculated Fields Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Report Details (Report Details (Report Menu) Hide the open report menu item. Hide Open Report Hide the open report menu item. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports or external users. Multicast Reports Allows users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Sub Queries	Allow users to create sub query reports.
Related Content Allow users to set up co-display, drill down and drill through functionality. CSV Reports Allow users to write reports based on CSV files. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Custom Query Filters Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Disable users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields in reports. Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to distribute reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide the report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Ad Hoc Reports	Allows users to create Ad Hoc reports.
Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Allow users to create user prompt drop down filters populated by custom SQL queries. Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Values Allows users to create SSRS Reports. Allows users to create SSRS Reports. Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Reports Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Access Filter	Allow users to set or change the access filter on reports.
Advanced CSV Functionality Allow users to perform advanced operations on CSV reports such as selecting the data source. Custom Query Filters Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Values SRS Reports Allows users to create SSRS Reports. Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Related Content	Allow users to set up co-display, drill down and drill through functionality.
Functionality Custom Query Filters Allow users to create user prompt drop down filters populated by custom SQL queries. Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields in reports. Calculated Fields Allows users to create Freehand SQL Calculated Fields in reports. Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report SQL from users. Multicast Reports Allow users to broadcast reports to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	CSV Reports	Allow users to write reports based on CSV files.
Min/Max default filter values Allows users to set default values for cached filters to the minimum and maximum cached value. Disable Cached Filter Values Disable users from caching report filter values. SSRS Reports Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields in reports. Calculated Fields in Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.		Allow users to perform advanced operations on CSV reports such as selecting the data source.
Disable Cached Filter Values SRS Reports Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields in reports. Allows users to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Custom Query Filters	Allow users to create user prompt drop down filters populated by custom SQL queries.
SSRS Reports Allows users to create SSRS Reports. Allow Freehand SQL Calculated Fields in reports. Allow susers to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Min/Max default filter values	Allows users to set default values for cached filters to the minimum and maximum cached value.
Allow susers to create Freehand SQL Calculated Fields in reports. Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide the report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.		Disable users from caching report filter values.
Calculated Fields JavaScript Charts Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.) Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Details (Report Menu) Hide the report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	SSRS Reports	Allows users to create SSRS Reports.
Report Menu Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Menu) Hide the report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.		Allows users to create Freehand SQL Calculated Fields in reports.
Broadcast Reports Allow users to broadcast reports on a one off or scheduled basis. Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Menu) Hide the report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	JavaScript Charts	Allows users to switch on the JavaScript chart creation functionality in the report builder. (Learn more about this here.)
Distribute Reports Allow users to distribute reports on dashboard tabs to other users. Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Menu) Hide the report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Report Menu	
Email Reports Allow users to send an adhoc email copy of a report. Hide Open Report Hide the open report menu item. Hide Report Details (Report Menu) Hide sQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Broadcast Reports	Allow users to broadcast reports on a one off or scheduled basis.
Hide Report Details (Report Details (Report Menu) Hide report details item on the report menu. Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Distribute Reports	Allow users to distribute reports on dashboard tabs to other users.
Hide Report Details (Report Menu) Hide sql Hide report Sql from users. Multicast Reports Allow users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Email Reports	Allow users to send an adhoc email copy of a report.
(Report Menu) Hide SQL Hide report SQL from users. Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Hide Open Report	Hide the open report menu item.
Multicast Reports Allow users to broadcast reports to external users. Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	•	Hide the report details item on the report menu.
Multicast Access Filter Reports Allows users to broadcast reports with access filters to external users. The credentials of the user who creates the broadcast will be used to send the report to external users.	Hide SQL	Hide report SQL from users.
Reports broadcast will be used to send the report to external users.	Multicast Reports	Allow users to broadcast reports to external users.
Hide Report Refresh Hide the report refresh menu item.		
	Hide Report Refresh	Hide the report refresh menu item.
Hide Embed Links Removes links to embed reports and dashboards using the Javascript API.	Hide Embed Links	Removes links to embed reports and dashboards using the Javascript API.
Hide External Links Removes external direct links to reports and dashboards.	Hide External Links	Removes external direct links to reports and dashboards.
Storyboard	Storyboard	
Distribute Storyboards Allows users to distribute Storyboards to other users.	Distribute Storyboards	Allows users to distribute Storyboards to other users.
Email Storyboards Allows users to send an adhoc email copy of a Storyboard.	Email Storyboards	Allows users to send an adhoc email copy of a Storyboard.
Storyboards CRUD Allows users to view, create, edit or delete Storyboards.	Storyboards CRUD	Allows users to view, create, edit or delete Storyboards.
Storyboard Admin Allows users to edit and delete any private or public Storyboard.	Storyboard Admin	Allows users to edit and delete any private or public Storyboard.
Public Storyboards Allows users to make a Storyboard public.		

Storyboard Global Filters	Allows users to set global filters on Storyboards.
Collaboration	
Hide Comments	Hides the comment functionality from Reports, Storyboards, and Dashboards.
Annotations CRUD	Allow users to Create, Read, Update, or Delete.
Timeline	Allows users to access their timeline.
Connections	Allows users to connect to other users through their timeline.
Discussion Topics CRUD	Allows users to browse and contribute to discussion topics.
Collaboration Admin	Allow users full administration access to discussion streams, comments, and tasks both public and private.
Activity Stream	Allows users to access the activity stream.
Enable Tasks	Allow users to see and be assigned tasks.
Personal Tasks	Allow users to create and assign tasks to themselves.
Public Tasks	Allow users to create and assign tasks to themselves and others.
System Task Admin	Allow users to approve or reject the completion of system tasks.
Configuration	
Configuration	Allow users to modify Yellowfin site parameters.
Configure Logon ID	Allow users to specify how users are authenticated.
Configure Page Format	Allow users to configure the page layout (integration settings, etc).
Configure Support Email	Allow users to set the support email address.
Header/Footer Admin	Allows users to edit the header and footer on their system.
Administration	
Approval Admin	Allows users to manage outstanding content approvals without having to be specified as the approver.
Import	Allow users to import content from XML files.
Export	Allow users to export content to XML files for backup or transfer to another system.
Folder Access	Allow users to configure report categories.
System Information	Allow admin users to view system information.
Licence Management	Allow users to view Yellowfin licence details and upload new licence files.
Create and Edit Tags	Allow users to create and edit tags used in discussions.
Client Organisation Management CRUD	Allow users to set up and manage client organisations.
Filter Period Management	Allow users to choose which Predefined Date Filters are available.
Translate Content	Allows users to translate user entered data on dashboards, reports and views.
Themes CRUD	Allows users to manage Storyboard Themes.
Geometry Pack Management	Allows users to import and delete GeoPacks.
Background Execution Management	Allows users to view the current background execution queue, cancel current queries, and force start queued items.
View and Field Categories	Allows users to manage View and Field Categories from the Admin Console.
Org Reference Codes	Allows users to manage Org Reference Codes from the Admin Console.
Plugin Management	Allows users to manage plugins including Third Party Source Connections, JDBC Drivers, and Advanced Functions.
Data Sources & Views	
Data Sources CRUD	Allow users to create, edit, and delete data source connections.

OLAP	Allow users to connect to OLAP data sources.
Data Source Admin CRUD	Allow users to create, edit, and delete all data sources regardless of security restrictions.
Source Filters	Allow users to create data source filters.
Database Views CRUD	Allow users to create, edit, and delete Yellowfin views.
Freehand SQL Views	Allow users to create Freehand SQL views.
Show Draft Views	Allow users to see views being edited by other users.
Stored Procedures	Allow users to create views against stored procedures.
Force Clone Views	Removes the option to edit existing views directly - users are forced to clone views to edit them.
Hide DBMS Messages	Replaces error messages from DBMS with generic messages.
Create CSV Table	Allow users to create CSV tables within a view.
Composite Views	Allows users to create Composite Views.
Data Transformations	Allows you to access the Data Transformation module.
Skip Schema Check	Bypass schema check when using CheckSchemaForUser functionality.
Report as a Datasource	Allows reports to be written against the results of another report.
User Administration	
User Management CRUD	Allow users to create, edit, and delete user accounts.
Group Management CRUD	Allow users to create, edit, and delete user groups.
Roles Management	Allow users to create, edit, and delete security roles.
Hide profile password	Removes the password reset option in My Profile.
Disable profile email change	Stops users from changing their email address in My Profile.
Hide profile User ID	Removes the User ID option in My Profile.
Named User	Allows a user to bypass concurrent logon limitations.
Restrict Visible Roles	Restricts the Roles that are visible to a user when adding new users and groups.
Web Services	
Web Services	This function is required for a user account that will be used to log in to Yellowfin web services.
Disable Mobile Access	Stops a user from accessing reports via a native mobile application.
Augmented Data Discovery	
Assisted Discovery	Allows you to access the Smart Analysis button in the report builder.
Instant Insight	Allows you to access the Auto Analyze option on charts.
Instant Insight Settings	Allows you to access the insight setting button in the view builder.
Other	
Subscribe to Broadcast	Allows users to subscribe to report broadcasts.